



Wednesday, June 26, 2019

Attn: Ms. Jennifer Atkins
AECOM
250 Apollo Drive
Chelmsford, MA 01824

Project ID: GULF CHELSEA TERMINAL
SDG ID: GCD40787
Sample ID#s: CD40787

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis/Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

June 26, 2019

SDG I.D.: GCD40787

Project ID: GULF CHELSEA TERMINAL

Client Id	Lab Id	Matrix
OUTFALL 003	CD40787	SURFACE WATER



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 26, 2019

FOR: Attn: Ms. Jennifer Atkins
AECOM
250 Apollo Drive
Chelmsford, MA 01824

Sample Information

Matrix: SURFACE WATER
Location Code: AECOM-CHELM
Rush Request: 72 Hour
P.O.#: 112185

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

06/21/19
06/24/19

Time

18:20
15:46

Laboratory Data

SDG ID: GCD40787
Phoenix ID: CD40787

Project ID: GULF CHELSEA TERMINAL
Client ID: OUTFALL 003

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Total Suspended Solids	36	5.0	mg/L	1	06/25/19	BMD/BJA	SM2540D-11

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 26, 2019

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

June 26, 2019

QA/QC Data

SDG I.D.: GCD40787

Parameter	Blank	Blk RL	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 484905 (mg/L), QC Sample No: CD40114 (CD40787)													
Total Suspended Solids	BRL	5.0	44	40	9.50	93.0						85 - 115	

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
June 26, 2019

Wednesday, June 26, 2019

Criteria: None

State: MA

Sample Criteria Exceedances Report

GCD40787 - AECOM-CHELM

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

June 26, 2019

SDG I.D.: GCD40787

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

GCD 40787

Shannon Wilhelm

Subject: FW: Gulf Oil Chelsea TSS sample being picked up today

From: Atkins, Jennifer [mailto:Jennifer.Atkins@aecom.com]

Sent: Monday, June 24, 2019 11:01 AM

To: Rebecca Merz

Subject: Gulf Oil Chelsea TSS sample being picked up today

Hi Rebecca – our field tech ordered a pickup for today of a TSS sample from the Gulf Oil Chelsea Terminal. Would it be possible to get at least draft results within 3 days? Based on those results, we may need to collect another sample by the end of the week.

Please let me know if this is possible.

Thanks,
Jen

Jennifer Atkins
Environmental Compliance Specialist, Environment
D +1-978-905-2112
jennifer.atkins@aecom.com

AECOM
250 Apollo Drive
Chelmsford, MA 01824, USA
T +1-978-905-2100
aecom.com

Built to deliver a better world

[LinkedIn](#) [Twitter](#) [Facebook](#) [Instagram](#)

Sarah Bell

From: Atkins, Jennifer <Jennifer.Atkins@aecom.com>
Sent: Tuesday, June 25, 2019 9:15 AM
To: Sarah Bell
Subject: FW: Phoenix Labs - GCD40787, GULF CHELSEA TERMINAL - COC Acknowledgement

From: Atkins, Jennifer
Sent: Tuesday, June 25, 2019 9:14 AM
To: Client Services <clientservices@phoenixlabs.com>
Subject: RE: Phoenix Labs - GCD40787, GULF CHELSEA TERMINAL - COC Acknowledgement

PO should be 112185.

Thanks,
Jen

Jennifer Atkins
Environmental Compliance Specialist, Environment
D +1-978-905-2112
jennifer.atkins@aecom.com

AECOM
250 Apollo Drive
Chelmsford, MA 01824, USA
T +1-978-905-2100
aecom.com

Built to deliver a better world

[LinkedIn](#) [Twitter](#) [Facebook](#) [Instagram](#)

From: Client Services <clientservices@phoenixlabs.com>
Sent: Monday, June 24, 2019 6:55 PM
To: Atkins, Jennifer <Jennifer.Atkins@aecom.com>
Subject: Phoenix Labs - GCD40787, GULF CHELSEA TERMINAL - COC Acknowledgement

Jennifer,

Please email client services only if you have a Price Quote# for this SDG, a Quote# was not listed on the COC.

Please email client services only if you Require a PO# on your Invoice, a PO# was not listed on the COC.

GCD40787 Criteria:
None.

Please email client services only if you require criteria different than what is listed.

Delivery group GCD40787 (GULF CHELSEA TERMINAL) has been logged in for the following samples:

Phoenix Id	Client Id
CD40787	OUTFALL 003

The samples in this delivery group were received at 1.7°C. (Note acceptance criteria for relevant matrices is above freezing up to 6°C)

If there are any questions regarding this submittal, please call Phoenix Client Services at extension 200.

Phoenix Environmental Laboratories, Inc.
587 East Middle Turnpike
P.O. Box 370
Manchester, CT 06374
Tel. (860) 645-1102
Fax. (860) 645-0823
www.phoenixlabs.com

Please do not reply to this email.

cc: d:Jennifer.Atkins@aecom.com; rebeccam@phoenixlabs.com